

LED line

Code: 477088

EAN: 5907777477088

LED line® Strip 600 SMD 24V 6500K  
9,6W IP65



product\_card.label\_technical\_data

| Parameter                             | Value    | Parameter                                  | Value      |
|---------------------------------------|----------|--------------------------------------------|------------|
| Luminous efficacy                     | 100 lm/W | LED type                                   | SMD 2835   |
| Colour of the light                   | White    | LED quantity                               | 600        |
| Energy efficiency class 2019/2015     | F        | Compatible dimmer type                     | PWM        |
| Colour consistency in McAdam ellipses | ≤6       | Laminate (colour)                          | White      |
| IP protection rating                  | IP65     | Laminate (thickness)                       | 2          |
| Warranty (years)                      | 3        | LED quantity (lm)                          | 120        |
| Dimmable function                     | PWM      | Cutting section                            | 5          |
| Survival factor                       | 0.9      | Type of adhesive tape                      | 3M 300 LSE |
| Minimum purchase quantity             | 5        | Colour consistency in McAdam ellipses      | ≤6         |
| Lifetime L70B50                       | 30 000   | Ambient temperature suitable for operation | -20÷45 °C  |
| Wire length                           | 200 mm   | For indoor and outdoor use                 | YES        |
| Wattage (lm)                          | 9,6 W    | IEC protection class                       | III        |
| Luminous flux (lm)                    | 960      | Length                                     | 5000 mm    |
| Current (lm)                          | 0,4      | Height                                     | 3 mm       |
| Colour rendering index Ra             | 80       | Power                                      | • 9.6      |
| Metres per roll                       | 5        | Voltage                                    | • 24 V DC  |
| The lumen maintenance factor          | 96 %     | Correlated colour temperature              | • 6500 K   |
| Beam angle                            | 120 °    |                                            |            |

LED line


Code: 477088

EAN: 5907777477088



LED line® Strip 600 SMD 24V 6500K  
9,6W IP65

product\_card.label\_dimensions


product\_card.label\_curve\_light




product\_card.label\_product\_gallery




product\_card.label\_logistic\_data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb 100

|                                              |        |
|----------------------------------------------|--------|
| Number of pieces/tapes in meters euro pallet | 2400   |
| Quantity collective euro pallet              | 60     |
| Weight of a euro pallet                      | 300 kg |
| Pallet height                                | 1800   |
| Quantity in 1 layer                          | 6      |
| Number of layers                             | 10     |

---

LED line

Code: 477088

EAN: 5907777477088

**LED line® Strip 600 SMD 24V 6500K  
9,6W IP65**

---

Example application