

LED line PRIME

Code: 201941

EAN: 5905378201941

LED line PRIME LED bulb MR16 8,5W
4000K 1020lm 10-18V AC/DC



product_card.label_technical_data

Parameter	Value
Luminous efficacy	120 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	E
Luminous flux	1020 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP20
Warranty (years)	5
Survival factor	0.9
Lifetime L70B50	30 000
Material	Ceramic
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White
The lumen maintenance factor	96 %
Lamp's type	MR16
Lamp's diameter	50

Parameter	Value
Beam angle	120 °
Material (housing)	Ceramic
LED type	SMD2835
Lifespan	30000
Power Factor	0,5
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-5+40 °C
For indoor use	Inside
Full box quantity	100 pc
Lamp's warm-up time to 60%	1
Height	50 mm
Power	• 8.5 W
Voltage	• 10-18 V AC/DC
Correlated colour temperature	• 4000 K

LED line PRIME

Code: 201941

EAN: 5905378201941

LED line PRIME LED bulb MR16 8,5W
4000K 1020lm 10-18V AC/DC


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




Single packaging

Width	20 mm
Height	20 mm mm
Length	76 mm mm
Weight	0,06 kg kg
	1



Bulk packaging

Number of pieces/tape in meters pack zb	100 szt.
Width	575 mm mm
Height of collective packaging	145 mm
Length	280 mm mm
Weight	7 kg kg
Volume	0,023 m3 m3



Europallet

Quantity collective euro pallet	5200 szt.
Weight of a euro pallet	364 kg
Pallet height	1885 mm
Quantity in 1 layer	400 szt.
Number of layers	13

LED line PRIME	Code: 201941	EAN: 5905378201941
----------------	--------------	--------------------

**LED line PRIME LED bulb MR16 8,5W
4000K 1020lm 10-18V AC/DC**

Example application