

LED line LITE

Code: 244520

EAN: 5901583244520

**LED bulb G4 3000K 3W 240lm 12V
AC/DC 270° Silicone LITE**



LEDOM G4 3W 3000K 240lm CCD from LED line LITE is an innovative light source with exceptional durability, up to 50,000 hours. It offers a light stream of 240 lumens and a colour temperature of 3000 K, which provides pleasant, warm indoor white. Thanks to a lighting angle of 270°, the light is distributed evenly.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	G
Warranty	3
Power	• 3 W
Voltage	• 12 V AC/DC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	80
Luminous flux	240 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
Lifespan	50 000 h
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	37
Fixture's diameter	13 mm
Material (housing)	Silicone


LED line LITE

Code: 244520

EAN: 5901583244520

**LED bulb G4 3000K 3W 240lm 12V
AC/DC 270° Silicone LITE**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	20 mm
Height	20 mm
Length	62 mm
Weight	0,005 kg

Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	4,275 kg
Comments	

Europallet

Quantity	54000
Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	182,4 kg

LED line LITE

Code: 244520

EAN: 5901583244520

**LED bulb G4 3000K 3W 240lm 12V
AC/DC 270° Silicone LITE**

Example application