

LED line PRIME

product_card.label_product_code: 210677
product_card.label_product_gtin: 5905378210677

Connector T for 3 phase track
LUMICANTO left white with feeding
option PRIME



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value
Warranty (years)	5
Rated power	220-240V DC
Rated current	16A
Housing material	Plastic
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Colour	White
Ambient temperature suitable for operation	5÷40 °C

product_card.label_attribute_name	product_card.label_attribute_value
IEC protection class	I
Full box quantity	50 pc
Length	163 mm
Width	98 mm
Height	32 mm
Power supply connection	choices.bool.yes
Equivalent	XTS 39

LED line PRIME


product_card.label_product_code: 210677
product_card.label_product_gtin: 5905378210677

Connector T for 3 phase track
LUMICANTO left white with feeding
option PRIME


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	160 mm
Height	30 mm
Length	100 mm
Weight	0,14 kg



product_card.label_collective_package

Number of pieces/tape in meters pack zb	50 szt.
Width	300 mm
Height of collective packaging	250 mm
Length	200 mm
Weight	7,35 kg
Volume	0,015 m3



product_card.label_europalette

Quantity collective euro pallet	5600 szt.
Weight of a euro pallet	823,2 kg
Pallet height	1750 mm
Quantity in 1 layer	800 szt.
Number of layers	7

LED line PRIME

product_card.label_product_code: 210677 product_card.label_product_gtin: 5905378210677

Connector T for 3 phase track
LUMICANTO left white with feeding
option PRIME

product_card.label_realization_photo