

LED line PRIME

Code: 210189

EAN: 5905378210189

Waterproof fixture RANGER 10-40W
4000K 7200lm 120cm IP66 PRIME

New



Technical data

Parameter	Value	Parameter	Value
Luminous efficacy	180 lm/W	LED type	SMD2835
Colour of the light	White	LED quantity	276
Energy efficiency class 2019/2015	C	Power Factor	0,9
Luminous flux	7200 lm	Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6	Colour consistency in McAdam ellipses	≤6
IP protection rating	IP66	Ambient temperature suitable for operation	-25÷45 °C
Warranty (years)	5	For indoor and outdoor use	YES
Survival factor	0.9	IEC protection class	I
Weight	1400 g	IK protection rating	10
Frequency of the supply voltage	50/60Hz	Full box quantity	12 pc
Colour rendering index Ra	80	Lamp's warm-up time to 60%	1
Colour	220-240 VAC	Length	1210 mm
The lumen maintenance factor	96 %	Width	79 mm
Beam angle	120 °	Height	68 mm
Material (cover)	polycarbonate	Power	• 10-40 W
Material (housing)	Polycarbonate	Correlated colour temperature	• 4000 K

LED line PRIME


Code: 210189

EAN: 5905378210189

Waterproof fixture RANGER 10-40W
4000K 7200lm 120cm IP66 PRIME

Dimensions


Light distribution




Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

Number of pieces/tape in meters pack zb 12

LED line PRIME

Code: 210189

EAN: 5905378210189

**Waterproof fixture RANGER 10-40W
4000K 7200lm 120cm IP66 PRIME**

Example application