

LED line PRIME


Code: 475824

EAN: 5907777475824

**Linear luminaire FUSION 4000K 40W
5200lm P18° IP20 120cm black PRIME**



LED line binding PRIME FUSION 40W 4000K is an efficient light source with a luminous flux of 5200 lumens. It is characterized by a light angle P18°, which ensures optimal distribution of light in the rooms. The product is available in black and its modern form fits into a variety of interior arrangements. IP20 and IK08 protection classes guarantee adequate durability and safety of use.



Technical data

| Parameter | Value |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | C |
| Warranty | 5/7* |
| Power | • 40 W |
| Voltage | • 220-240 V AC |
| Correlated colour temperature | • 4000 K |
| Colour of the light | White |
| Colour rendering index Ra | 80 |
| IP protection rating | IP20 |
| IK protection rating | 08 |
| IEC protection class | I |
| Luminous efficacy | 130 |
| Luminous flux | 5200 |
| The lumen maintenance factor | 96 |

| Parameter | Value |
|--|----------|
| Lifetime L70B50 | 50 000 h |
| L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible | 35000 h |
| Survival factor | 0.9 |
| Colour consistency in McAdam ellipses | ≤6 |
| Sling length | 200 cm |
| Standby power | 0 |
| Mounting type | mixed |
| Frequency of the supply voltage | 50/60Hz |
| Power Factor | 0,9 |
| Lamp's warm-up time to 60% | 1 |
| Ambient temperature suitable for operation | -20÷45 |
| For indoor use | Inside |
| Height | 52 |


LED line PRIME

Code: 475824


EAN: 5907777475824

**Linear luminaire FUSION 4000K 40W
5200lm P18° IP20 120cm black PRIME**

Technical drawing





Light distribution



Additional product photos



Logistics data



Single packaging

| | |
|--------|---------|
| Width | 1158 mm |
| Height | 52 mm |
| Length | 70 mm |
| Weight | 1,82 kg |

Bulk packaging

| | |
|----------|----------|
| Quantity | 12 |
| Width | 1260 mm |
| Height | 260 mm |
| Length | 260 mm |
| Volume | 0,085 m3 |
| Weight | 22,09 kg |
| Comments | |

Europallet

| | |
|-------------------|----------|
| Quantity | 144 |
| Height | 1260 mm |
| Quantity in layer | 144 |
| Number of layers | 1 |
| Bulk quantity | 144 |
| Weight | 265,2 kg |

LED line PRIME

Code: 475824

EAN: 5907777475824

**Linear luminaire FUSION 4000K 40W
5200lm P18° IP20 120cm black PRIME**

Example application