

LED line PRIME

Code: 210561

EAN: 5905378210561

3 phase rail LUMICANTO 3m white PRIME



LUMICANTO 3-phase rail cable with a length of 3 meters in white from LED line PRIME is an innovative lighting solution. It has a working voltage of 220-240V AC and rated current of 16A, which ensures high energy efficiency. Made of aluminum, it is characterized by a solid design and elegant finish. The product is covered by a five-year guarantee, which underlines its reliability.

5
WARRANTY

7
WARRANTY

IP
20

CE

Technical data

Parameter	Value
Warranty	5/7*
IEC protection class	I
Rated power	220-240V AC
Rated current	16A
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	5÷40
Height	35,5
Equivalent	XTS 4300
Colour	White
Material (housing)	Aluminium

LED line PRIME

Code: 210561

EAN: 5905378210561

3 phase rail LUMICANTO 3m white

PRIME


Technical drawing

Light distribution

Additional product photos




Logistics data




Single packaging

Width	3000 mm
Height	35,5 mm
Length	31,5 mm
Weight	2,58 kg



Bulk packaging

Quantity	10
Width	180 mm
Height	80 mm
Length	3030 mm
Volume	0,043 m3
Weight	37 kg



Europallet

Height
Quantity in layer
Number of layers
Bulk quantity
Weight

LED line PRIME

Code: 210561

EAN: 5905378210561

3 phase rail LUMICANTO 3m white
PRIME

Example application