

LED line PRIME

product_card.label_product_code: 200234
product_card.label_product_gtin: 5905378200234

LED line PRIME Floodlight 200W 4000K
28000lm 120°



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Luminous efficacy	140 lm/W	Material (housing)	aluminum
Colour of the light	White	LED type	SMD2835
Energy efficiency class 2019/2015	D	LED quantity	360
Luminous flux	28000 lm	Power Factor	0,9
Colour consistency in McAdam ellipses	≤6	Number of on/off cycles	50000
IP protection rating	IP66	Colour consistency in McAdam ellipses	≤6
Warranty (years)	5	Ambient temperature suitable for operation	-40÷45 °C
Survival factor	0.9	For indoor and outdoor use	YES
Lifetime L70B50	50 000	IEC protection class	I
Wire length	1 050 mm	IK protection rating	08
Weight	3,3 g	Full box quantity	1 pc
Mounting type	surface	Lamp's warm-up time to 60%	1
Frequency of the supply voltage	50/60Hz	Length	412 mm
Colour rendering index Ra	70	Width	360 mm
The lumen maintenance factor	96 %	Height	54 mm
Beam angle	120 °		
Material (cover)	tempered glass	Power	200 W
		Correlated colour temperature	4000 K

LED line PRIME


product_card.label_product_code: 200234
product_card.label_product_gtin: 5905378200234

LED line PRIME Floodlight 200W 4000K
28000lm 120°




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	412 mm
Height	54 mm mm
Length	360 mm mm
Weight	3,57 kg kg

product_card.label_collective_package

Number of pieces/tape in meters pack zb	1 szt.
Width	450 mm mm
Height of collective packaging	80 mm
Length	420 mm mm
Weight	0 kg kg
Volume	0,015 m3 m3

product_card.label_europalette

Number of pieces/tapes in meters euro pallet	60
Quantity collective euro pallet	48 szt.
Weight of a euro pallet	25 kg kg
Pallet height	1920 mm
Quantity in 1 layer	2 szt.
Number of layers	24

LED line PRIME

product_card.label_product_code: 200234 product_card.label_product_gtin: 5905378200234

LED line PRIME Floodlight 200W 4000K
28000lm 120°

product_card.label_realization_photo