

LED line LITE

Code: 209572

EAN: 5905378209572

**LED bulb G9 3000K 4W 350lm 230V
270° Ceramic LITE**



LED lamp G9 power 4 W generates a light stream of 350 lm, which provides efficient and energy-efficient lighting. It is characterized by a light colour temperature of 3000 K, offering warm, pleasant to the eye light. The product operates in 220-240 V voltage range and meets quality standards, as confirmed by the energy class A+. Ceramic material of housing and phase displacement factor Df equals 0.4 increase the durability and stability of the lamp.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 4 W
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	88
Luminous flux	350 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Height	49
Fixture's diameter	16 mm
Colour	white
Material (housing)	Ceramics

LED line LITE

Code: 209572

EAN: 5905378209572

**LED bulb G9 3000K 4W 350lm 230V
270° Ceramic LITE**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Width	50 mm
Height	50 mm
Length	60 mm
Weight	0,01 kg

Bulk packaging

Quantity	500
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m3
Weight	7,455 kg

Europallet

Height	1880 mm
Quantity in layer	4000
Number of layers	8
Bulk quantity	32000
Weight	477,12 kg

LED line LITE

Code: 209572

EAN: 5905378209572

**LED bulb G9 3000K 4W 350lm 230V
270° Ceramic LITE**

Example application