

LED line PRIME

Code: 210622

EAN: 5905378210622

Connector I linear for 3 phase track  
LUMICANTO white with feeding PRIME

The LUMICANTO white rail adapter I, powered by PRIME, is a modern solution for a stable connection in lighting installations. It is characterized by a working voltage of 220-240V AC and rated current 16A, which guarantees high efficiency and safety of use. The product made of plastic presents modern design, perfectly entering various arrangements.



Technical data

Parameter	Value
Warranty (years)	5
Rated power	220-240V AC
Rated current	16A
Housing material	Tworzywo sztuczne
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz

Parameter	Value
Colour	White
Ambient temperature suitable for operation	5÷40
IEC protection class	I
Power supply connection	yes
Equivalent	XTS 14

LED line PRIME

Code: 210622

EAN: 5905378210622

**Connector I linear for 3 phase track  
LUMICANTO white with feeding PRIME**

Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

---

LED line PRIME

Code: 210622

EAN: 5905378210622

**Connector I linear for 3 phase track  
LUMICANTO white with feeding PRIME**

---

**Example application**