

LED line LITE

Code: 248771

EAN: 5901583248771

**DOWNLIGHT EASY FIX 2700K 6W 450lm
round IP20 White LITE**



Easy Fix 6W 2700K 450lm LED line LITE panel is an innovative light with low power consumption, offering a light stream of 450 lumens. It emits warm light at a colour temperature of 2700 K, which creates a pleasant atmosphere. Thanks to the 120° angle, it provides wide light scattering, and the Ra ≥80 colour mapping factor guarantees natural color rendering.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 6 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	75
Luminous flux	450
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Beam angle	120
LGP	GLASS
LED type	SMD2835
LED quantity	28
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Mounting hole diameter	55-90
Height	13
Fixture's diameter	113 mm
Colour	white
Material (housing)	Polyamide
Material (cover)	Polystyrene


LED line LITE

Code: 248771


EAN: 5901583248771

**DOWNLIGHT EASY FIX 2700K 6W 450lm
round IP20 White LITE**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	136 mm
Height	43 mm
Length	124 mm
Weight	0,21 kg

Bulk packaging

Quantity	60
Width	390 mm
Height	280 mm
Length	430 mm
Volume	0,046 m3
Weight	16,1 kg
Comments	

Europallet

Quantity	1440
Height	1950 mm
Quantity in layer	240
Number of layers	5
Bulk quantity	1200
Weight	322 kg

LED line LITE

Code: 248771

EAN: 5901583248771

**DOWNLIGHT EASY FIX 2700K 6W 450lm
round IP20 White LITE**

Example application