

LED line LITE

product_card.label_product_code: 240614
product_card.label_product_gtin: 5901583240614

LED line® strip 300 SMD 12V RGB 14,4W
IP65



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute
Colour of the light	RGB (multicolor)
Warranty (years)	3
Dimmable function	PWM
Minimum purchase quantity	5
Lifetime L70B50	30 000
Wattage (lm)	14,4 W
Current (lm)	1,2
Metres per roll	5
The lumen maintenance factor	>0,7 %
Beam angle	120 °
LED type	SMD5060
Not dimmable	TAK
Compatible dimmer type	PWM
Laminate (colour)	White

product_card.label_attribute_name	product_card.label_attribute
Laminate (thickness)	2
LED quantity (lm)	60
Cutting section	5
Type of adhesive tape	3M 300 LSE
Lifespan	100000
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷45 °C
For indoor and outdoor use	YES
IEC protection class	III
Full box quantity	75 pc
Lamp's warm-up time to 60%	1
Width	10 mm
Height	3 mm
Power	• 14.4


LED line LITE

product_card.label_product_code: 240614
product_card.label_product_gtin: 5901583240614


LED line® strip 300 SMD 12V RGB 14,4W
IP65

product_card.label_dimensions




product_card.label_curve_light



product_card.label_product_gallery



product_card.label_logistic_data



product_card.label_single_package

Width	180 mm
Height	20 mm
Length	180 mm
Weight	0,28 kg

1

product_card.label_collective_package

Number of pieces/tape in meters pack zb	40 szt.
Width	460 mm mm
Height of collective packaging	210 mm
Length	380 mm mm
Weight	7,66 kg kg
Volume	0,036 m3 m3

product_card.label_europalette

Number of pieces/tapes in meters euro pallet	7200 m
Quantity collective euro pallet	1440 szt.
Weight of a euro pallet	231,8 kg
Pallet height	1890 mm
Quantity in 1 layer	160 szt.
Number of layers	9

LED line LITE

product_card.label.product_code: 240614 product_card.label.product_gtin: 5901583240614

LED line® strip 300 SMD 12V RGB 14,4W
IP65

product_card.label.realization_photo