MORE EFFICIENCY FOR THE LED WORLD

LE D line

LED line PRIME

Panel Backlit 34W 4000K 4760lm UGR<19 62x62 Emergency module PRIME LAW3HAT



Code: 204522-LAW3HAT

EAN: 5905378218338

A G C

The Backlit 34W panel by LED line PRIME is a modern light source that stands out for an extraordinary light performance of 4,760 lumens and a favorable colour of 4000 K. With low UGR value (<19), it provides comfortable lighting conditions, eliminating the effect of glare. Made of aluminium and polystyrene, it has a solid design and aesthetic appearance. Equipped with an emergency module, it offers three hours of emergency work.

CE

Technical data

Parameter	Value
Operating time in emergency mode	3 h
Emergency module test	Auto Test
Voltage	• 220-240 V AC
Luminous efficacy	140
Colour of the light	White
Energy efficiency class 2019/2015	С
Luminous flux	4760
Colour consistency in McAdam ellipses	≤6
Warranty (years)	5
IP protection rating	IP20
Dimmable function	Triac
Survival factor	0.9
Lifetime L70B50	50 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White

Parameter	Value
The lumen maintenance factor	96
Beam angle	90
Material (cover)	polystyrene
Material (housing)	Aluminium
LED type	SMD LED 2835
LED quantity	64
Power Factor	0,9
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
IEC protection class	II
IK protection rating	02
Lamp's warm-up time to 60%	ls
Correlated colour temperature	• 4000 K
Power	• 34 W

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 204522-LAW3HAT

EAN: 5905378218338

Panel Backlit 34W 4000K 4760lm UGR<19 62x62 Emergency module PRIME LAW3HAT

Technical drawing

Light distribution


Additional product photos








Logistics data



Single packaging

Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 204522-LAW3HAT

EAN: 5905378218338

Panel Backlit 34W 4000K 4760lm UGR<19 62x62 Emergency module PRIME LAW3HAT

Example application