

LED line LITE

Code: 200746

EAN: 5905378200746

**DOWNLIGHT MOLLY 4000K 5W 500lm  
round IP20 White LITE**



LED line LITE Downlight MOLLY 5W and 500 lumen light stream is a modern solution in a minimalist style. Equipped with SMD LED technology 2835, it provides excellent light efficiency at 100 lm/W. It offers neutral light temperature 4000K and Ra>80 color rendering, which guarantees natural light effect.



**Technical data**

| Parameter                         | Value          |
|-----------------------------------|----------------|
| Energy efficiency class 2019/2015 | D              |
| Warranty                          | 3              |
| Power                             | • 5 W          |
| Voltage                           | • 220-240 V AC |
| Correlated colour temperature     | • 4000 K       |
| Colour of the light               | White          |
| Colour rendering index Ra         | 80             |
| IP protection rating              | IP20           |
| IEC protection class              | II             |
| Luminous efficacy                 | 100            |
| Luminous flux                     | 500            |
| The lumen maintenance factor      | 96             |
| Lifetime L70B50                   | 30 000 h       |
| Survival factor                   | 0.9            |

| Parameter                                  | Value         |
|--------------------------------------------|---------------|
| Colour consistency in McAdam ellipses      | ≤6            |
| Frequency of the supply voltage            | 50/60Hz       |
| Beam angle                                 | 110           |
| LED type                                   | SMD LED 2835  |
| LED quantity                               | 16            |
| Number of on/off cycles                    | 20000         |
| Ambient temperature suitable for operation | -20÷40        |
| For indoor use                             | Inside        |
| Mounting hole diameter                     | 75-90         |
| Height                                     | 26 mm         |
| Fixture's diameter                         | 95 mm         |
| Colour                                     | White         |
| Material (housing)                         | Polycarbonate |


LED line LITE

Code: 200746


EAN: 5905378200746

**DOWNLIGHT MOLLY 4000K 5W 500lm  
round IP20 White LITE**


**Technical drawing**




**Light distribution**



**Additional product photos**



**Logistics data**



**Single packaging**

|          |         |
|----------|---------|
| Quantity | 1       |
| Width    | 102 mm  |
| Height   | 37 mm   |
| Length   | 100 mm  |
| Weight   | 0,08 kg |

**Bulk packaging**

|          |                      |
|----------|----------------------|
| Quantity | 100                  |
| Width    | 390 mm               |
| Height   | 220 mm               |
| Length   | 525 mm               |
| Volume   | 0,025 m <sup>3</sup> |
| Weight   | 8,6 kg               |

**Europallet**

|                   |        |
|-------------------|--------|
| Quantity          | 4800   |
| Height            | 1,80 m |
| Quantity in layer | 600    |
| Number of layers  | 8      |
| Bulk quantity     | 48     |
| Weight            | 443 kg |

LED line LITE

Code: 200746

EAN: 5905378200746

**DOWNLIGHT MOLLY 4000K 5W 500lm  
round IP20 White LITE**

**Example application**

