

LED line LITE

Code: 202047

EAN: 5905378202047

**LED tube T8 G13 4000K 22W 2265lm
230V 270° 150cm Glass LITE**



LED light bulb T8 22W 4000K from LED line LITE is a modern light source with a length of 150 cm, which provides a light stream of 2265 lumens. Thanks to its high efficiency of 100 lm/W and energy class F, the product is economical and environmentally friendly. It offers natural white light at 4000 K. Made of durable frozen glass, it minimizes the effect of glare.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	100
Luminous flux	2265 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	96
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202047


EAN: 5905378202047

**LED tube T8 G13 4000K 22W 2265lm
230V 270° 150cm Glass LITE**



Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	46 mm
Height	76 mm
Length	46 mm
Weight	0,24 kg

Bulk packaging

Quantity	25
Width	1590 mm
Height	175 mm
Length	170 mm
Volume	0,021 m3
Weight	6,73 kg

Europallet

Height	1590 mm
Quantity in layer	600
Number of layers	1
Bulk quantity	600
Weight	101 kg

LED line LITE

Code: 202047

EAN: 5905378202047

**LED tube T8 G13 4000K 22W 2265lm
230V 270° 150cm Glass LITE**

Example application