

LED line PRIME

Code: 210639

EAN: 5905378210639

Connector I linear for 3 phase track  
LUMICANTO black with feeding PRIME

The LUMICANTO bus connector in black with PRIME power supply is a functional solution characterized by a solid design. A product with a length of 163 mm, a width of 33 mm and a height of 32 mm, made of durable plastic. Powered by 220-240V AC voltage and 16A rated current, it provides high reliability. Thanks to the protection class I and IP20 degree, it will be perfect for interiors.



Technical data

Parameter	Value
Warranty (years)	5
Rated power	220-240V AC
Rated current	16A
Housing material	Tworzywo sztuczne
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz

Parameter	Value
Colour	Black
Ambient temperature suitable for operation	5÷40
IEC protection class	I
Power supply connection	yes
Equivalent	XTS 14

LED line PRIME

Code: 210639

EAN: 5905378210639

**Connector I linear for 3 phase track  
LUMICANTO black with feeding PRIME**

Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

---

LED line PRIME

Code: 210639

EAN: 5905378210639

**Connector I linear for 3 phase track  
LUMICANTO black with feeding PRIME**

---

**Example application**