

LED line PRIME

Code: 217584

EAN: 5905378217584

**Solar garden spike light SUNTIS 3000K
170lm 2Ah USB-C round IP54 black
PRIME**



The solar garden fixture **SUNTIS** by LED line PRIME is a modern lighting solution that combines aesthetics with functionality.

It features a white light color with a temperature of 3000 K and a luminous flux of 170 lumens. Equipped with a LI-Ion 3.7V 2000mAh battery, it provides up to 6 hours of operation on a full charge. The IP54 protection class guards against moisture and dust, making the product suitable for outdoor applications.



Technical data

Parameter	Value
Warranty	5
Voltage	• 3.7 V DC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP54
IK protection rating	06
IEC protection class	III
Luminous flux	170
Lifetime L70B50	30 000 h
Wyniki tłumaczenia Functional description of the daylight sensor [LUX]	50 lx-ON

Parameter	Value
Type of battery	LI-Ion 3.7V 2000mAh 18650
Beam angle	180
LED quantity	40
Lifespan	35 000 h
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Outside
Height	473 mm
Colour	Czarny
Material (housing)	ABS


LED line PRIME

Code: 217584

EAN: 5905378217584

**Solar garden spike light SUNTIS 3000K
170lm 2Ah USB-C round IP54 black
PRIME**

Technical drawing






Light distribution

Additional product photos



Logistics data



Single packaging

Quantity	1
Width	220 mm
Height	220 mm
Length	473 mm
Weight	0,7 kg

Bulk packaging

Quantity	12
Width	300 mm
Height	460 mm
Length	675 mm
Weight	8,7 kg

Europallet

Height	1,90 m
Quantity in layer	2
Number of layers	3
Bulk quantity	72
Weight	80 kg

LED line PRIME

Code: 217584

EAN: 5905378217584

**Solar garden spike light SUNTIS 3000K
170lm 2Ah USB-C round IP54 black
PRIME**

Example application

