# **MORE EFFICIENCY FOR THE LED WORLD**

# LE**⊃** line

# LED line LITE

# LED line® G9 4W 2700K 350lm 220-240V



Code: 245480

#### EAN: 5901583245480



4W LITE G9 LED line bulb emits warm white light at 2700 K, perfectly composing in a variety of interior arrangements. With a light stream of 350 lumens and an angle of 270° distribution, it provides even lighting. Made of ceramics, it is characterized by high durability and resistance to high temperatures. Its lifespan reaches up to 30,000 hours, and the light efficiency is as much as 88 lm/W.



#### **Technical data**

Parameter	Value
Voltage	• 220-240 V AC
Luminous efficacy	88
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	350
Colour consistency in McAdam ellipses	≤6
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	30 000 h
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	white
The lumen maintenance factor	96

CE
----

Parameter	Value
Fixture's diameter	16 mm
Beam angle	270
Material (housing)	Ceramics
LED type	SMD2835
Power Factor	0,4
Number of on/off cycles	50000
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Lamp's warm-up time to 60%	ls
Energy class	A+
Correlated colour temperature	• 2700 K
Power	• 4 W

# **MORE EFFICIENCY FOR THE LED WORLD**



### LED line LITE

Code: 245480

EAN: 5901583245480

# LED line® G9 4W 2700K 350lm 220-240V

#### **Technical drawing**

Sûme Billing

### Light distribution


Luminous [cd/klm]

C0 - C180<sup>°</sup> C90 - C270


#### Additional product photos




## Logistics data



Single packaging



Bulk packaging



Europallet

# **MORE EFFICIENCY FOR THE LED WORLD**



LED line LITE

Code: 245480

EAN: 5901583245480

# LED line® G9 4W 2700K 350lm 220-240V

**Example application**