

LED line LITE

Code: 202238

EAN: 5905378202238

**LED bulb E14 4000K 4W 480lm 230V  
360° FILAMENT G45 Glass LITE**



LED bulb E14 4W 4000K 480lm FILAMENT G45 LED line LITE is a modern lighting solution that harmoniously combines aesthetics and efficiency. It emits neutral white light with a colour temperature of 4000 K and a light stream of 480 lumens. Thanks to the 360° angle, it provides excellent room lighting. The working time is as much as 25,000 hours, and the number of on and off cycles reaches 50,000.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 4 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	480 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	G45
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	75
Fixture's diameter	45 mm
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202238

EAN: 5905378202238

**LED bulb E14 4000K 4W 480lm 230V  
360° FILAMENT G45 Glass LITE**

**Technical drawing**






**Light distribution**

**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	61 mm
Height	110 mm
Length	61 mm
Weight	0,02 kg

**Bulk packaging**

Quantity	50
Width	610 mm
Height	235 mm
Length	150 mm
Volume	0,021 m <sup>3</sup>
Weight	1,52 kg

**Europallet**

Height	1880 mm
Quantity in layer	400
Number of layers	8
Bulk quantity	3200
Weight	97,28 kg

LED line LITE

Code: 202238

EAN: 5905378202238

**LED bulb E14 4000K 4W 480lm 230V  
360° FILAMENT G45 Glass LITE**

**Example application**

