

LED line PRIME

Code: 221222

EAN: 5905378221222

**L-connector for LUMICANTO
POWERTRACK busway right white with
power supply PRIME**

New

L-connector for LUMICANTO busway right in white or black color from the PRIME series features high-quality workmanship and modern design. It is intended for installation in track systems, ensuring flexibility and easy installation. The product supports operating voltage 220-240V AC and current up to 16A, guaranteeing reliability and safety of use.



Technical data

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	33 mm
Power supply connection	yes
Material (housing)	Plastic


LED line PRIME

Code: 221222

EAN: 5905378221222

**L-connector for LUMICANTO
POWERTRACK busway right white with
power supply PRIME**



Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Width	100 mm
Height	30 mm
Length	100 mm
Weight	0,105 kg

Bulk packaging

Quantity	100
Width	250 mm
Height	220 mm
Length	400 mm
Weight	9,6 kg

Europallet

Quantity	6000
Height	1800 mm
Quantity in layer	15
Number of layers	4
Bulk quantity	60
Weight	610 kg

LED line PRIME

Code: 221222

EAN: 5905378221222

**L-connector for LUMICANTO
POWERTRACK busway right white with
power supply PRIME**

Example application