

LED line PRIME

Code: 202085

EAN: 5905378202085

**LED tube T8 G13 4000K 18W 2700lm
230V 270° 120cm Glass PRIME (Without jumper)**



The LED line T8 18W 4000K 2700lm LED line PRIME is an efficient light source ideal for various applications. It features a neutral light color of 4000 K, which enhances user comfort. Emitting a luminous flux of 2700 lumens, it provides excellent lighting quality with a beam angle of 270°. SMD2835 technology eliminates flicker, and a lifespan of 25 thousand hours confirms its reliability.

Tube WITHOUT A JUMPER.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	2700 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	92
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line PRIME

Code: 202085


EAN: 5905378202085

**LED tube T8 G13 4000K 18W 2700lm
230V 270° 120cm Glass PRIME (Without jumper)**


Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	90 mm
Length	47 mm
Weight	0,18 kg

Bulk packaging

Quantity	25
Width	175 mm
Height	170 mm
Length	1290 mm
Volume	0,038 m ³
Weight	7,09 kg

Europallet

Quantity	900
Height	1,90 m
Quantity in layer	100
Number of layers	9
Bulk quantity	36
Weight	190 kg

LED line PRIME

Code: 202085

EAN: 5905378202085

**LED tube T8 G13 4000K 18W 2700lm
230V 270° 120cm Glass PRIME (Without
jumper)**

Example application