

LED line PRIME

Code: 221192

EAN: 5905378221192

**X-connector for LUMICANTO
POWERTRACK busway black with
power supply PRIME**

New

X-connector for LUMICANTO busway in white or black color, constituting a PRIME power element, stands out with modern design and solid workmanship. The product features operating voltage of 220-240V AC and rated current of 16A, ensuring high efficiency and safety of use. Made of durable materials, it meets quality standards, guaranteeing reliability and installation comfort.



Technical data

Parameter	Value
Warranty	5/7*
Voltage	• 220-240 V AC
IP protection rating	IP20
IEC protection class	I
Frequency of the supply voltage	50/60Hz

Parameter	Value
Ambient temperature suitable for operation	-5 ÷ 40
For indoor use	Inside
Height	33 mm
Power supply connection	yes
Material (housing)	Plastic


LED line PRIME

Code: 221192

EAN: 5905378221192

**X-connector for LUMICANTO
POWERTRACK busway black with
power supply PRIME**



Technical drawing



Light distribution

Additional product photos

Logistics data



Single packaging

Width	160 mm
Height	30 mm
Length	160 mm
Weight	0,212 kg

Bulk packaging

Quantity	50
Width	300 mm
Height	300 mm
Length	450 mm
Weight	10 kg

Europallet

Quantity	1200
Height	1600 mm
Quantity in layer	8
Number of layers	3
Bulk quantity	24
Weight	290 kg

LED line PRIME

Code: 221192

EAN: 5905378221192

**X-connector for LUMICANTO
POWERTRACK busway black with
power supply PRIME**

Example application