

LED line

Code: 241574

EAN: 5901583241574

LED line® strip 600 SMD 24V 2700K
9,6W IP65



product_card.label_technical_data

Parameter	Value	Parameter	Value
Luminous efficacy	77 lm/W	Laminate (colour)	White
Colour of the light	White	Laminate (thickness)	2
Energy efficiency class 2019/2015	G	LED quantity (lm)	120
Colour consistency in MacAdam ellipses	≤6	Cutting section	5
Warranty (years)	3	Type of adhesive tape	3M 300 LSE
Dimmable function	PWM	Lifespan	100000
Survival factor	0.9	Number of on/off cycles	50000
Minimum purchase quantity	5	Colour consistency in MacAdam ellipses	≤6
Lifetime L70B50	50 000	Ambient temperature suitable for operation	-20÷45 °C
Wattage (lm)	9,6 W	For indoor and outdoor use	YES
Luminous flux (lm)	680lm	IEC protection class	III
Current (lm)	0,4	Full box quantity	75 pc
Colour rendering index Ra	90	Lamp's warm-up time to 60%	1
CRI colour rendering index	90	Width	8 mm
Metres per roll	5	Height	3 mm
The lumen maintenance factor	96 %	Energy class	A
Beam angle	120 °	Power	• 9.6
LED type	SMD2216	Voltage	• 24 V DC
Not dimmable	TAK	Correlated colour temperature	• 2700 K
Compatible dimmer type	PWM		

LED line

Code: 241574


EAN: 5901583241574

LED line® strip 600 SMD 24V 2700K
9,6W IP65




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



Single packaging

1

Bulk packaging

Number of pieces/tape in meters pack zb	100
Width	340 mm
Height of collective packaging	280
Length	440 mm
Weight	0,17 kg
Volume	0,042 m3

Europallet

Number of pieces/tapes in meters euro pallet	960
Quantity collective euro pallet	24
Weight of a euro pallet	4,08 kg
Pallet height	984
Quantity in 1 layer	8
Number of layers	3

LED line

Code: 241574

EAN: 5901583241574

**LED line® strip 600 SMD 24V 2700K
9,6W IP65**

Example application