

LED line LITE

Code: 247422

EAN: 5901583247422

**LED bulb E27 3000K 15W 1515lm 230V  
240° A60 PC LITE**



The E27 15W 3000K 1515lm 230V A60 bulb from LED line LITE is an example of innovative lighting technology, distinguished by high efficiency. It emits a luminous flux of 1515 lumens at just 15 W, ensuring excellent energy efficiency. The warm light color (3000 K) creates a cozy atmosphere, and the wide beam angle of 240° guarantees even light distribution.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 15 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	101
Luminous flux	1515 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	240 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	119
Fixture's diameter	60 mm
Material (housing)	Polycarbonate


LED line LITE

Code: 247422

EAN: 5901583247422

**LED bulb E27 3000K 15W 1515lm 230V  
240° A60 PC LITE**


**Technical drawing**



**Light distribution**

**Additional product photos**

**Logistics data**



**Single packaging**

Quantity	1
Width	60 mm
Height	125 mm
Length	60 mm
Weight	0,05 kg

**Bulk packaging**

Quantity	100
Width	320 mm
Height	270 mm
Length	625 mm
Volume	0,054 m <sup>3</sup>
Weight	4,5 kg
Comments	

**Europallet**

Quantity	1800
Height	1890 mm
Quantity in layer	300
Number of layers	7
Bulk quantity	2100
Weight	94,5 kg

---

LED line LITE

Code: 247422

EAN: 5901583247422

**LED bulb E27 3000K 15W 1515lm 230V  
240° A60 PC LITE**

---

**Example application**