

LED line LITE

Code: 240294

EAN: 5901583240294

**LED strip 300/5m SMD 12V GREEN 4,8W
IP65 8mm 5m LITE**

LED 300 SMD from LED line LITE is an innovative light source that is distinguished by its green colour and productivity of 4.8 W. It works on a voltage of 12 V DC and is characterized by a high degree of protection IP65, which provides resistance to water and moisture. Thanks to the use of SMD3528 diodes and durable white laminate, the product guarantees even surface illumination.



Technical data

Parameter	Value
Warranty	3
Power	• 4.8 W / m
Voltage	• 12 V DC
Colour of the light	Green
IEC protection class	III
Cutting section	5 cm
The lumen maintenance factor	>0,7
Lifetime L70B50	30 000 h
Dimmable function	PWM
Current (Im)	0,4
Beam angle	120

Parameter	Value
LED type	SMD3528
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (1m)	60
Type of adhesive tape	3M 300 LSE
Lifespan	100 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷45
Height	3


LED line LITE

Code: 240294


EAN: 5901583240294

**LED strip 300/5m SMD 12V GREEN 4,8W
IP65 8mm 5m LITE**

Technical drawing



Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	5 m
Width	180 mm
Height	20 mm
Length	180 mm
Weight	0,196 kg

Bulk packaging

Quantity	40
Width	320 mm
Height	180 mm
Length	360 mm
Volume	0,020 m3
Weight	7,66 kg
Comments	

Europallet

Quantity	12000 m
Height	1800 mm
Quantity in layer	240
Number of layers	10
Bulk quantity	2400
Weight	484,6 kg

LED line LITE

Code: 240294

EAN: 5901583240294

**LED strip 300/5m SMD 12V GREEN 4,8W
IP65 8mm 5m LITE**

Example application