

LED line LITE

Code: 202283

EAN: 5905378202283

**LED Bulb E27 2700K 10W 1200lm 230V  
360° FILAMENT A60 Glass LITE**



LED bulb E27 10W 2700K 1200lm FILAMENT A60 from LED line LITE is an innovative light source that impresses with its elegant design and high energy efficiency. It emits warm light at a colour temperature of 2700 K, ideal for creating a cozy atmosphere. With a power of 1200 lumens, it provides even lighting in the full lighting angle of 360°. Its durability reaches as much as 25,000 hours, and the retention rate of the light stream is as much as 96%.



**Technical data**

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 10 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	120
Luminous flux	1200 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Dimmable function	-
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	A60
Beam angle	360 °
LED type	Filament
LED quantity	4
Lifespan	25 000 h
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	108
Fixture's diameter	60 mm
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202283

EAN: 5905378202283

**LED Bulb E27 2700K 10W 1200lm 230V  
360° FILAMENT A60 Glass LITE**

**Technical drawing**






**Light distribution**

**Additional product photos**



**Logistics data**



**Single packaging**

Quantity	1
Width	45 mm
Height	71 mm
Length	45 mm
Weight	0,03 kg

**Bulk packaging**

Quantity	50
Width	325 mm
Height	240 mm
Length	325 mm
Volume	0,025 m3
Weight	2,78 kg

**Europallet**

Height	1920 mm
Quantity in layer	300
Number of layers	8
Bulk quantity	2400
Weight	133,44 kg

LED line LITE

Code: 202283

EAN: 5905378202283

**LED Bulb E27 2700K 10W 1200lm 230V  
360° FILAMENT A60 Glass LITE**

**Example application**

