

LED line LITE

Code: 249471

EAN: 5901583249471

**DOWNLIGHT EASY FIX 2700K 24W
2150lm square IP20 29.5x29.5cm White
LITE**



LED line Easy Fix Panel 24W 2700K 2150lm square is an innovative lighting that stands out for its elegant, minimalist appearance and energy efficiency. It offers a light stream of 2150 lm at just 24 watts, which ensures high light efficiency of 90 lm/W. The colour of light at 2700 K emits warm white, creating a cozy atmosphere.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 24 W
Voltage	• 220-260 V AC
Correlated colour temperature	• 2700 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	90
Luminous flux	2150
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Beam angle	120
LGP	PMMA
LED type	SMD2835
LED quantity	112
Power Factor	0,7
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-5÷40
For indoor use	Inside
Mounting hole diameter	60-260
Height	14
Colour	white
Material (housing)	Polyamide
Material (cover)	Polystyrene


LED line LITE

Code: 249471


EAN: 5901583249471

**DOWNLIGHT EASY FIX 2700K 24W
2150lm square IP20 29.5x29.5cm White
LITE**

Technical drawing






Light distribution



Additional product photos

Logistics data



Single packaging

Quantity	1
Width	292 mm
Height	14 mm
Length	292 mm
Weight	0,83 kg

Bulk packaging

Quantity	10
Width	320 mm
Height	315 mm
Length	430 mm
Volume	0,043 m3
Weight	11,2 kg
Comments	

Europallet

Quantity	180
Height	1890 mm
Quantity in layer	40
Number of layers	6
Bulk quantity	240
Weight	268,8 kg

LED line LITE

Code: 249471

EAN: 5901583249471

**DOWNLIGHT EASY FIX 2700K 24W
2150lm square IP20 29.5x29.5cm White
LITE**

Example application