

LED line PRIME Code: 210516 EAN: 5905378210516

Track light LUMICANTO 14-29W CCT 36/60° white PRIME





Track light LUMICAANTO 14-29W CCT 36/60° in white is an advanced LED lighting that combines modern technology with stylish design. Made of high quality aluminum and transparent glass, it ensures durability and aesthetics. Thanks to the 36° and 60° angles, it allows precise targeting of the light. The change in light colour temperature to 3000 K, 4000 K and 6000 K adjusts the atmosphere to individual needs.



















Technical data

Parameter	Value
Energy efficiency class 2019/2015	Е
Warranty	5
Power	• 14-29 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K • 4000 K • 6000 K
Colour of the light	White
Colour rendering index Ra	90
IP protection rating	IP20
IK protection rating	06
IEC protection class	II
Luminous efficacy	do 115
Luminous flux	1440-3200
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
Survival factor	0,9
Colour consistency in McAdam ellipses	≤6


Parameter	Value
Mounting type	3 phase rail
Frequency of the supply voltage	50/60Hz
Fixture's diameter	77 mm
Beam angle	60/36
LED type	COB-BRIDGELUX
LED quantity	1
Lifespan	50 000 h
Power Factor	0,9
Number of on/off cycles	25000
Lamp's warm-up time to 60%	1 s
Ambient temperature suitable for operation	5÷40
For indoor use	Inside
Colour	White
Material (housing)	Aluminium
Material (cover)	clear glass



LED line PRIME Code: 210516 EAN: 5905378210516


Track light LUMICANTO 14-29W CCT 36/60° white PRIME

Technical drawing



Light distribution


Additional product photos









Logistics data







Single packaging

Bulk packaging

Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME Code: 210516 EAN: 5905378210516

Track light LUMICANTO 14-29W CCT 36/60° white PRIME

Example application