

LED line LITE

Code: 247255

EAN: 5901583247255

**LED bulb E27 3000K 6W 510lm 230V
240° A60 PC LITE**



LED bulb E27 6W 3000K 510lm LED line LITE is a modern and energy-efficient light source with a power of 6 W. It is characterized by a light stream of 510 lumens and a warm colour of 3000 K light, which creates a cozy atmosphere. Thanks to high light performance of 85 lm/W, the product is very energy efficient. The life span is as much as 50,000 hours, and a wide angle of 240° provides even distribution of light in the rooms.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	3
Power	• 6 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 3000 K
Colour of the light	White
Colour rendering index Ra	80
Luminous efficacy	85
Luminous flux	510 lm
The lumen maintenance factor	96
Lifetime L70B50	50 000 h
L80B* – difference B10–B50 ≈ 1% (according to LightingEurope) – negligible	35000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Beam angle	240 °
Lifespan	50 000 h
Power Factor	0,5
Number of on/off cycles	50000
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	84
Fixture's diameter	45 mm
Material (housing)	Polycarbonate


LED line LITE

Code: 247255

EAN: 5901583247255

**LED bulb E27 3000K 6W 510lm 230V
240° A60 PC LITE**

Technical drawing




Light distribution

Additional product photos




Logistics data




Single packaging

Quantity	1
Width	50 mm
Height	59 mm
Length	50 mm
Weight	0,03 kg



Bulk packaging

Quantity	100
Width	245 mm
Height	190 mm
Length	475 mm
Volume	0,022 m3
Weight	3,5 kg
Comments	



Europallet

Quantity	5600
Height	1900 mm
Quantity in layer	600
Number of layers	10
Bulk quantity	6000
Weight	210 kg

LED line LITE

Code: 247255

EAN: 5901583247255

**LED bulb E27 3000K 6W 510lm 230V
240° A60 PC LITE**

Example application