

LED line LITE


Code: 202054

EAN: 5905378202054

**LED tube T8 G13 6500K 22W 2265lm
230V 270° 150cm Glass LITE**



LED light bulb T8 22W 6500K from LED line LITE is an advanced lighting solution with a length of 150 cm, generating a luminous flux of 2265 lumens at a capacity of 100 lm/W. Its light colour is a cool white at 6500 K, supporting concentration. The product equipped with SMD2835 technology guarantees no flickering.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 22 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	100
Luminous flux	2265 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h

Parameter	Value
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Application	Glass
Frequency of the supply voltage	50/60Hz
Beam angle	270 °
LED type	SMD2835
LED quantity	96
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material (housing)	Glass
Material (cover)	glass


LED line LITE

Code: 202054


EAN: 5905378202054

**LED tube T8 G13 6500K 22W 2265lm
230V 270° 150cm Glass LITE**


Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	36 mm
Height	66 mm
Length	36 mm
Weight	0,24 kg

Bulk packaging

Quantity	25
Width	1590 mm
Height	175 mm
Length	170 mm
Volume	0,021 m3
Weight	6,73 kg

Europallet

Height	1590 mm
Quantity in layer	600
Number of layers	1
Bulk quantity	600
Weight	101 kg

LED line LITE

Code: 202054

EAN: 5905378202054

**LED tube T8 G13 6500K 22W 2265lm
230V 270° 150cm Glass LITE**

Example application