MORE EFFICIENCY FOR THE LED WORLD

LE D line

LED line PRIME

LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Code: 210998

EAN: 5905378210998



LED LED line PRIME 480 COB 24V 3000K is an innovative lighting solution that offers energy efficiency at F level. At 18 watts per metre and a 900 Im light stream, it provides excellent lighting in a warm colour tone of 3000 K. The casing made of high quality materials guarantees durability and resistance to external factors. Thanks to its high flexibility, the tape will work in various interior arrangements.



Technical data

Parameter	Value
Voltage	• 24 V DC
Luminous efficacy	100
Colour of the light	White
Energy efficiency class 2019/2015	F
Colour consistency in McAdam ellipses	≤3
Warranty (years)	5
IP protection rating	IP20
Dimmable function	PWM
Survival factor	0.9
Minimum purchase quantity	30
Lifetime L70B50	50 000 h
Wire length	200 mm
Wattage (Im)	18
Luminous flux (Im)	1800
Current (Im)	0,75
Colour rendering index Ra	90
Metres per roll	30 m

Parameter	Value
The lumen maintenance factor	96
Beam angle	180
LED type	СОВ
LED quantity	2400
Compatible dimmer type	PWM
Laminate (colour)	White
Laminate (thickness)	2
LED quantity (lm)	480
Cutting section	5 cm
Type of adhesive tape	3M 300 LSE
Colour consistency in McAdam ellipses	≤3
Ambient temperature suitable for operation	`-30 ÷ 45
For indoor use	Inside
IEC protection class	III
Correlated colour temperature	• 3000 K
Power	• 18 W/m

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210998

EAN: 5905378210998


LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Technical drawing

Light distribution


Additional product photos

Logistics data



Single packaging

Bulk packaging



Europallet

MORE EFFICIENCY FOR THE LED WORLD



LED line PRIME

Code: 210998

EAN: 5905378210998

LED line PRIME LED strip 480 COB 24V 3000K 18W 30m

Example application