

LED line PRIME

product_card.label_product_code: 203983
product_card.label_product_gtin: 5905378203983

LED line PRIME FUSION linear lamp
20W 4000K 2600lm 30*90° white



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Sling length	200	The lumen maintenance factor	96 %
Luminous efficacy	130 lm/W	Beam angle	30 x 90 °
Colour of the light	White	Power Factor	0,9
Energy efficiency class 2019/2015	C	Ambient temperature suitable for operation	-20÷45 °C
Luminous flux	2600 lm	For indoor use	Inside
Colour consistency in McAdam ellipses	≤6	IEC protection class	I
Standby power	0	IK protection rating	08
IP protection rating	IP20	Lamp's warm-up time to 60%	1
Warranty (years)	5	Length	586 mm
Survival factor	0.9	Width	70 mm
Lifetime L70B50	50 000	Height	52 mm
Mounting type	mixed	Power	20 W
Frequency of the supply voltage	50/60Hz	Voltage	220-240 V AC
Colour rendering index Ra	80	Correlated colour temperature	4000 K

LED line PRIME


product_card.label.product_code: 203983
product_card.label.product_gtin: 5905378203983

LED line PRIME FUSION linear lamp
20W 4000K 2600lm 30*90° white


product_card.label.dimensions

product_card.label.curve_light

product_card.label.product_gallery




product_card.label.logistic_data




product_card.label.single_package

Width	586 mm
Height	52 mm mm
Length	70 mm mm
Weight	1,14 kg kg



product_card.label.collective_package

Number of pieces/tape in meters pack zb	12 szt.
Width	690 mm mm
Height of collective packaging	260 mm
Length	260 mm mm
Weight	13,93 kg kg
Volume	0,046 m3 m3



product_card.label.europalette

Number of pieces/tapes in meters euro pallet	288
Quantity collective euro pallet	288 szt.
Weight of a euro pallet	672 kg kg
Pallet height	1710 mm
Quantity in 1 layer	48 szt.
Number of layers	6

LED line PRIME

product_card.label.product_code: 203983 product_card.label.product_gtin: 5905378203983

LED line PRIME FUSION linear lamp
20W 4000K 2600lm 30*90° white

product_card.label.realization_photo