

LED line PRIME

Code: 202061-II

EAN: 5905378216952

**LED tube T8 G13 4000K 9W 1350lm 230V
270° Glass 60cm PRIME**



The LED T8 9W fluorescent lamp from the brand LED line PRIME is a modern light source with a length of 60 cm, emitting white light with a color temperature of 4000 K. With a total luminous flux of 1350 lm, it provides excellent luminous efficiency of 150 lm/W. The product features an energy efficiency class of D and a low current consumption of only 0.043 A.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 9 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	150
Luminous flux	1350 lm
The lumen maintenance factor	96
Lifetime L70B50	25 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6

Parameter	Value
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	46
Lifespan	25 000 h
Power Factor	>=0,9
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass


LED line PRIME

Code: 202061-II


EAN: 5905378216952

**LED tube T8 G13 4000K 9W 1350lm 230V
270° Glass 60cm PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	82 mm
Height	28 mm
Length	605 mm
Weight	0,12 kg

Bulk packaging

Quantity	25
Width	660 mm
Height	175 mm
Length	170 mm
Volume	0,020 m3
Weight	4,1 kg

Europallet

Quantity	1200
Height	1850 mm
Quantity in layer	
Number of layers	
Bulk quantity	48
Weight	240 kg

LED line PRIME

Code: 202061-II

EAN: 5905378216952

**LED tube T8 G13 4000K 9W 1350lm 230V
270° Glass 60cm PRIME**

Example application