

LED line PRIME

product_card.label_product_code: 241215
product_card.label_product_gtin: 5901583241215

LED line downlight aluminium square adjustable SLIM silver brushed AKROS



product_card.label_technical_data

product_card.label_attribute_name	product_card.label_attribute_value	product_card.label_attribute_name	product_card.label_attribute_value
Maximum suitable lamp power	35	Installation method	recessed
IP protection rating	IP20	Mounting hole diameter	85 mm
Warranty (years)	5	For indoor and outdoor use	YES
Colour	silver	IEC protection class	III
Lamp's diameter	50	Full box quantity	100 pc
Material (housing)	aluminum	Length	92 mm
Y-axis angle regulation	35	Width	92 mm
Type of surface suitable for installation	F	Height	25 mm
Distance from illuminated surface	0.5		

LED line PRIME

product_card.label_product_code: 241215
product_card.label_product_gtin: 5901583241215

LED line downlight aluminium square adjustable SLIM silver brushed AKROS


product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery




product_card.label_logistic_data




product_card.label_single_package

Width	95 mm
Height	30 mm
Length	95 mm
Weight	0,1 kg



product_card.label_collective_package

Number of pieces/tape in meters pack zb	100 szt.
Width	0 mm
Height of collective packaging	0 mm
Length	1000 mm
Weight	9,7 kg
Volume	0 m3



product_card.label_europalette

Number of pieces/tapes in meters euro pallet	2000
Quantity collective euro pallet	20
Weight of a euro pallet	196 kg
Pallet height	1800
Quantity in 1 layer	5
Number of layers	4

LED line PRIME

product_card.label.product_code: 241215 product_card.label.product_gtin: 5901583241215

LED line downlight aluminium square adjustable SLIM silver brushed AKROS

product_card.label.realization_photo