

LED line LITE

Code: 202030

EAN: 5905378202030

LED tube T8 G13 6500K 18W 1820lm
230V 270° 120cm Glass LITE



LED light bulb T8 18W 6500K from LED line LITE is an innovative light source that offers a total light stream of 1820 lumens. It is characterized by high performance of 100 lm/W, with 220-240V power supply. The model has a durability of 15,000 hours and a high resistance to switching on and off, reaching as many as 50,000 cycles.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	F
Warranty	2
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 6500 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
IEC protection class	II
Luminous efficacy	100
Luminous flux	1820 lm
The lumen maintenance factor	96
Lifetime L70B50	15 000 h
Survival factor	0.9

Parameter	Value
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz
Lamp's type	T8
Beam angle	270 °
LED type	SMD2835
LED quantity	72
Power Factor	≥0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20 ÷ 45
For indoor use	Inside
Material	Glass
Material (housing)	Glass
Material (cover)	glass

LED line LITE


Code: 202030

EAN: 5905378202030


LED tube T8 G13 6500K 18W 1820lm

230V 270° 120cm Glass LITE


Technical drawing




Light distribution



Additional product photos




Logistics data




Single packaging

Quantity	1
Width	36 mm
Height	61 mm
Length	36 mm
Weight	0,182 kg



Bulk packaging

Quantity	25
Width	1290 mm
Height	175 mm
Length	170 mm
Volume	0,021 m3
Weight	5,1 kg



Europallet

Quantity	600
Height	1290 mm
Quantity in layer	
Number of layers	
Bulk quantity	24
Weight	150 kg

LED line LITE

Code: 202030

EAN: 5905378202030

**LED tube T8 G13 6500K 18W 1820lm
230V 270° 120cm Glass LITE**

Example application