

LED line LITE

Code: 477651

EAN: 5907777477651

**Hermetic luminaire TRI-PROOF 4000K
40W 4800lm IP65 120cm gray LITE PIR**



LED line LITE TRI-PROOF 40W 4000K with a length of 1250 mm is the optimal solution for demanding applications. It has a power of 40 W, a light stream of 4800 lm and a light colour of 4000 K, which ensures high lighting quality. Equipped with a PIR motion sensor with a range of up to 8 m, it is characterized by simple mounting and high resistance to damage thanks to a polycarbonate housing. IP65 leak class and IK08 strength ensure durability under difficult conditions.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	E
Warranty	3
Power	• 40 W
Voltage	• 185-265 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP65
IK protection rating	08
IEC protection class	II
Luminous efficacy	120
Luminous flux	4800
The lumen maintenance factor	96
Lifetime L70B50	35 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Standby power	0,5

Parameter	Value
Wyniki tłumaczenia Functional description of the daylight sensor [LUX]	70 lx
Mounting type	surface
Frequency of the supply voltage	50/60Hz
CRI colour rendering index	80
Beam angle	120
LED type	2835
LED quantity	144
Lifespan	35 000 h
Power Factor	0,9
Number of on/off cycles	20000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
Height	60 mm
Colour	White
Material (housing)	Polycarbonate
Material (cover)	Polycarbonate


LED line LITE

Code: 477651


EAN: 5907777477651

**Hermetic luminaire TRI-PROOF 4000K
40W 4800lm IP65 120cm gray LITE PIR**

Technical drawing




Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	1250 mm
Height	60 mm
Length	82 mm
Weight	0,7 kg

Bulk packaging

Quantity	10
Width	330 mm
Height	190 mm
Length	1260 mm
Volume	0,079 m3
Weight	8,35 kg
Comments	

Europallet

Quantity	120
Height	1,6 m
Quantity in layer	120
Number of layers	1
Bulk quantity	12
Weight	125 kg

LED line LITE

Code: 477651

EAN: 5907777477651

**Hermetic luminaire TRI-PROOF 4000K
40W 4800lm IP65 120cm gray LITE PIR**

Example application