

LED line PRIME

Code: 247583-II

EAN: 5905378201644

**LED bulb E14 4000K 7W 1000lm 230V
220° C37 Ceramic PRIME**



LED bulb E14 7W 4000K 1000lm by LED line PRIME is a unique source of high performance light. It emits neutral white light with a colour temperature of 4000 K, ideal for various indoor applications. With a light stream of 1000 lumens and a performance of 142 lm/W, it provides brightness with minimal energy consumption. Made of high quality glass and ceramics, it is durable and aesthetic.



Technical data

Parameter	Value
Energy efficiency class 2019/2015	D
Warranty	5
Power	• 7 W
Voltage	• 170-250 V AC
Correlated colour temperature	• 4000 K
Colour of the light	White
Colour rendering index Ra	80
IP protection rating	IP20
Luminous efficacy	142
Luminous flux	1000 lm
The lumen maintenance factor	96
Lifetime L70B50	30 000 h
Survival factor	0.9
Colour consistency in McAdam ellipses	≤6
Frequency of the supply voltage	50/60Hz

Parameter	Value
Lamp's type	C37
Beam angle	220 °
LED type	SMD2835
Power Factor	0,5
Number of on/off cycles	50000
Lamp's warm-up time to 60%	1
Ambient temperature suitable for operation	-20÷40
For indoor use	Inside
Height	111
Fixture's diameter	37 mm
Colour	White
Material	Ceramic
Material (housing)	Ceramics
Material (cover)	glass


LED line PRIME

Code: 247583-II


EAN: 5905378201644

**LED bulb E14 4000K 7W 1000lm 230V
220° C37 Ceramic PRIME**

Technical drawing






Light distribution



Additional product photos



Logistics data



Single packaging

Quantity	1
Width	47 mm
Height	125 mm
Length	47 mm
Weight	0,06 kg

Bulk packaging

Quantity	100
Width	270 mm
Height	255 mm
Length	500 mm
Volume	0,034 m3
Weight	7 kg

Europallet

Height	1890 mm
Quantity in layer	600
Number of layers	7
Bulk quantity	4200
Weight	294 kg

LED line PRIME

Code: 247583-II

EAN: 5905378201644

**LED bulb E14 4000K 7W 1000lm 230V
220° C37 Ceramic PRIME**

Example application