

LED line LITE

Code: 201422

EAN: 5905378201422

LED line LITE Ceiling lamp PLAFON 18W
4000K 1550lm IP44 with motion sensor



product_card.label_technical_data

Parameter	Value
Luminous efficacy	86 lm/W
Colour of the light	White
Energy efficiency class 2019/2015	F
Luminous flux	1550 lm
Colour consistency in McAdam ellipses	≤6
IP protection rating	IP44
Warranty (years)	3
Survival factor	0.9
Lifetime L70B50	30 000
Weight	240 g
Frequency of the supply voltage	50/60Hz
Colour rendering index Ra	80
Colour	White
The lumen maintenance factor	96 %

Parameter	Value
Beam angle	120 °
Motion detection range and angle	360° 6m
Sensor type	Microwave
LED type	SMD 2835
LED quantity	21
Colour consistency in McAdam ellipses	≤6
Ambient temperature suitable for operation	-20÷40 °C
For indoor and outdoor use	YES
IEC protection class	I
Height	58 mm
Power	• 18 W
Voltage	• 220-240 V AC
Correlated colour temperature	• 4000 K

LED line LITE

Code: 201422


EAN: 5905378201422

LED line LITE Ceiling lamp PLAFON 18W
4000K 1550lm IP44 with motion sensor




product_card.label_dimensions

product_card.label_curve_light

product_card.label_product_gallery



product_card.label_logistic_data



Single packaging

Width	380 mm
Height	380 mm mm
Length	70 mm mm
Weight	0,38 kg kg
	1

Bulk packaging

Number of pieces/tape in meters pack zb	12 szt.
Width	790 mm mm
Height of collective packaging	405 mm
Length	490 mm mm
Weight	4,91 kg kg
Volume	0,156 m3 m3

Europallet

Quantity collective euro pallet	96 szt.
Weight of a euro pallet	39,28 kg
Pallet height	1620 mm
Quantity in 1 layer	24 szt.
Number of layers	4

LED line LITE

Code: 201422

EAN: 5905378201422

**LED line LITE Ceiling lamp PLAFON 18W
4000K 1550lm IP44 with motion sensor**

Example application



MicrosoftTeams-image-(3).png