


Multi Split 6.4kW R32 AURA line outdoor unit



The Multi Split 6.4kW R32 AURA line outdoor unit is an advanced heat pump system with a cooling capacity of 6.2-6.6 kW and a heating capacity of up to 6.8 kW. Powered by 220-240V~/50Hz, it features low power consumption: 1.13 kW in cooling mode and 1.752 kW in heating mode. It offers numerous functions, such as heating and cooling speed, as well as a self-cleaning option.



Technical data

Parameter	Value
Warranty	5
Air conditioning model	6,4 kW
Power supply	220-240V~/50Hz/1P
Capacity - Cooling nom. (min-max)	6200(2800~6600)
Capacity - Heating nom. (min-max)	6500(2450~6800)
Power consumption - Cooling	1920(340~2580)
Power consumption - Heating	1752(400~2580)
Operating current - Cooling nom. (min-max)	9.8(1.5~13.2)
Operating current - Heating nom. (min-max)	9.0(1.7~13.2)
Annual energy consumption - Cooling	356
Annual energy consumption - Average	1890
Annual energy consumption - Heating	1704
Cooling - SEER	6,1
Cooling - EER	3,23
Cooling - Energy class	A++
Heating - SCOP	4,0

Parameter	Value
Heating - COP	3.71
Heating - Energy class	A+
Connecting wiring	4 x 0.75 mm2
Outdoor - Sound power (S/H/M/L/Mute)	67
Outdoor - Sound pressure (S/H/M/L/Mute)	50
Outdoor - Dimensions	920×699×380
Outdoor - Weight	42
Outdoor - Refrigerant - Type / Charge	R32 / 0,49
Outdoor - Refrigerant - GWP	675
Outdoor - Refrigerant - CO2 equivalent	0.331
Outdoor - Temperature ranges - Cooling	-15 - 53
Outdoor - Temperature ranges - Heating	-20 - 30
Connecting pipe - Gas	9,252
Connecting pipe - Liquid	6,35
Max. refrigerant pipe lenght	25
Max. difference in level	10

Multi Split 6.4kW R32 AURA line outdoor unit


Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

Multi Split 6.4kW R32 AURA line outdoor unit

Example application