

AURA line Split Air Conditioner 3,4kW R32



The Multi Split 6.4kW R32 AURA line outdoor unit is an advanced heat pump system with a cooling capacity of 6.2-6.6 kW and a heating capacity of up to 6.8 kW. Powered by 220-240V~/50Hz, it features low power consumption: 1.13 kW in cooling mode and 1.752 kW in heating mode. It offers numerous functions, such as heating and cooling speed, as well as a self-cleaning option.



Technical data

Parameter	Value
Warranty	5
Air conditioning model	9,4 kW
Power supply	220-240V-/50Hz/1P
Capacity - Cooling nom. (min-max)	9400(3100~10200)
Capacity - Heating nom. (min-max)	9450(2550~10200)
Power consumption - Cooling	2765(410~3500)
Power consumption - Heating	2547(510~3500)
Operating current - Cooling nom. (min-max)	14.1(1.8~17.0)
Operating current - Heating nom. (min-max)	13.0(2.3~17.0)
Annual energy consumption - Cooling	534
Annual energy consumption - Average	2555
Annual energy consumption - Heating	2283
Cooling - SEER	6,1
Cooling - EER	3,40

Parameter	Value
Cooling - Energy class	A++
Heating - SCOP	4,0
Heating - COP	3,71
Heating - Energy class	A+
Connecting wiring	4 x 1,5 mm ²
Outdoor - Sound power (S/H/M/L/Mute)	70 (Stale)
Outdoor - Air circulation	4000
Outdoor - Dimensions	990×910×340
Outdoor - Weight	68
Outdoor - Refrigerant - Type / Charge	R32 / 0,49
Connecting pipe - Gas	9,252
Connecting pipe - Liquid	6,35
Max. refrigerant pipe lenght	25
Max. difference in level	10

AURA line Split Air Conditioner 3,4kW R32


Technical drawing

Light distribution


Additional product photos




Logistics data



Single packaging



Bulk packaging



Europallet

AURA line Split Air Conditioner 3,4kW R32

Example application