AURA line Split Air Conditioner 3.4kW R32 Gloss Heater Filters 4in1





Split AURA line 3,4 kW R32 air conditioner is an advanced heating and cooling device that stands out for functionality and innovative solutions. It has a cooling efficiency of 3.4 kW and a heating efficiency of 3.42 kW. Thanks to 4in1 technology with high density filters provides cleaner air. Supports operating range from -20°C to +30°C in heating mode and -15°C to +53°C in cooling mode.



















Technical data

Parameter	Value
Warranty	5
Air conditioning model	3,4 kW
Power supply	220-240V-/50Hz/1P
Capacity - Cooling nom. (min-max)	3.4 (1.0 ~ 3.77)
Capacity - Heating nom. (min-max)	3.42 (1.0 ~ 3.81)
Power consumption - Cooling	1130 (290 ~ 1500)
Power consumption - Heating	1005 (290 ~ 1720)
Operating current - Cooling nom. (min-max)	5.8 (1.5 ~ 9.0)
Operating current - Heating nom. (min-max)	5.1 (1.5 ~ 10.0)
Annual energy consumption - Cooling	195
Annual energy consumption - Average	735
Annual energy consumption - Heating	659
Cooling - SEER	6,1
Cooling - EER	3.01
Cooling - Energy class	A++
Heating - SCOP	4.0
Heating - COP	3.4
Heating - Energy class	A+
Indoor - Sound power (S/H/M/L/Mute)	50/47/43/35/32
Indooe - Sound pressure (S/H/M/L/Mute)	40/37/33/25/22

Parameter	Value
Indoor - Air circulation - Heating	550
Indoor - Air circulation - Cooling	550
Connecting wiring	4 x 0.75 mm2
Indoor - Dimensions	777×250×201
Outdoor - Sound power (S/H/M/L/Mute)	60
Outdoor - Sound pressure (S/H/M/L/Mute)	50
Outdoor - Air circulation	1700
Outdoor - Dimensions	712x276x459
Outdoor - Weight	22
Outdoor - Refrigerant - Type / Charge	R32/0,49
Outdoor - Refrigerant - GWP	675
Outdoor - Refrigerant - CO2 equivalent	0.331
Outdoor - Temperature ranges - Cooling	-15 - 53
Outdoor - Temperature ranges - Heating	-20 - 30
Connecting pipe - Gas	9,252
Connecting pipe - Liquid	6,35
Max. refrigerant pipe lenght	25
Max. difference in level	10
Indoor - Weight	7.5




AURA line Split Air Conditioner 3.4kW R32 Gloss Heater Filters 4in1


Technical drawing


Light distribution

Additional product photos

Logistics data







Single packaging

Bulk packaging

Europallet

AURA line Split Air Conditioner 3.4kW R32 Gloss Heater Filters 4in1

Example application