


AURA line Split air conditioner R32
2.6kW Gloss Heater Filters 4in1



AURA line The 2.6 kW split R32 air conditioner features elegant gloss and innovative functionality. Equipped with heater and filters 4in1, provides effective cooling and heating with a capacity of -20°C. Powered by 220-240V, it is characterized by low energy consumption in cooling (825 W) and heating (767 W). Quiet operation (max. 50 dB) and ergonomic dimensions of the internal unit (698x190x255 mm) make it ideal for any interior.



Technical data

Parameter	Value
Warranty	5
Air conditioning model	2,6 kW
Power supply	220-240V-/50Hz/1P
Capacity - Cooling nom. (min-max)	2.6 (9.4 ~ 3.3)
Capacity - Heating nom. (min-max)	2.61 (9.4 ~ 3.36)
Power consumption - Cooling	825 (240 ~ 1380)
Power consumption - Heating	767 (240 ~ 1552)
Operating current - Cooling nom. (min-max)	4.0 (1.2 ~ 8.0)
Operating current - Heating nom. (min-max)	3.8 (1.2 ~ 9.0)
Annual energy consumption - Cooling	149
Annual energy consumption - Average	700
Annual energy consumption - Heating	604
Cooling - SEER	3.15
Cooling - EER	3.15
Cooling - Energy class	A++
Heating - SCOP	4.0
Heating - COP	3.4
Heating - Energy class	A+
Indoor - Sound power (S/H/M/L/Mute)	50/47/43/35/32
Indoe - Sound pressure (S/H/M/L/Mute)	40/37/33/25/22

Parameter	Value
Indoor - Air circulation - Heating	698x190x255
Indoor - Air circulation - Cooling	420
Connecting wiring	4 x 0.75
Indoor - Dimensions	698x190x255
Outdoor - Sound power (S/H/M/L/Mute)	60
Outdoor - Sound pressure (S/H/M/L/Mute)	1700
Outdoor - Air circulation	1700
Outdoor - Dimensions	712x459x276
Outdoor - Weight	22
Outdoor - Refrigerant - Type / Charge	675
Outdoor - Refrigerant - GWP	0.304
Outdoor - Refrigerant - CO2 equivalent	-15 ~ 53
Outdoor - Temperature ranges - Cooling	-20 ~ 30
Outdoor - Temperature ranges - Heating	9.52
Connecting pipe - Gas	6.35
Connecting pipe - Liquid	25
Max. refrigerant pipe lenght	10
Max. difference in level	4x0.75
Additional filters	Yes
Indoor - Weight	6.5


AURA line Split air conditioner R32
2.6kW Gloss Heater Filters 4in1

Technical drawing


Light distribution

Additional product photos


Logistics data



Single packaging



Bulk packaging



Europallet

AURA line Split air conditioner R32 2.6kW Gloss Heater Filters 4in1

Example application