


AURA line Split air conditioner 5.1kW
R32 Gloss



Split AURA line air conditioner 5.1 kW R32 is an advanced heating and cooling device. Its performance is 5.1 kW in both cooling and heating modes. The device has an energy class A++ for cooling and A+ for heating, which ensures energy savings. Equipped with a 4in1 filter and features such as fast cooling and heating, or self-cleaning, it guarantees comfort of use.



Technical data

Parameter	Value
Warranty	5
Air conditioning model	5,1 kW
Power supply	220-240V-/50Hz/1P
Capacity - Cooling nom. (min-max)	5,1 (1,25 ~ 5,91)
Capacity - Heating nom. (min-max)	5,1 (1,25 ~ 6,07)
Power consumption - Cooling	1580 (330 ~ 2340)
Power consumption - Heating	1374 (340 ~ 2520)
Operating current - Cooling nom. (min-max)	8.1 (1.7 ~ 12.0)
Operating current - Heating nom. (min-max)	7.0 (1.7 ~ 13.0)
Annual energy consumption - Cooling	293
Annual energy consumption - Average	1330
Annual energy consumption - Heating	1373
Cooling - SEER	6,1
Cooling - EER	3,23
Cooling - Energy class	A++
Heating - SCOP	4.0
Heating - COP	3,71
Heating - Energy class	A+
Indoor - Sound power (S/H/M/L/Mute)	53/50/47/43/36
Indoe - Sound pressure (S/H/M/L/Mute)	43/41/38/35/27

Parameter	Value
Indoor - Air circulation - Heating	800
Indoor - Air circulation - Cooling	800
Connecting wiring	4 x 0.75 mm2
Indoor - Dimensions	910x294x206
Outdoor - Sound power (S/H/M/L/Mute)	65
Outdoor - Sound pressure (S/H/M/L/Mute)	55
Outdoor - Air circulation	2600
Outdoor - Dimensions	853x602x349
Outdoor - Weight	35
Outdoor - Refrigerant - Type / Charge	R32 /1,00
Outdoor - Refrigerant - GWP	675
Outdoor - Refrigerant - CO2 equivalent	0.675
Outdoor - Temperature ranges - Cooling	-15 - 53
Outdoor - Temperature ranges - Heating	-20 - 30
Connecting pipe - Gas	9,252
Connecting pipe - Liquid	6,35
Max. refrigerant pipe lenght	25
Max. difference in level	10
Indoor - Weight	10


AURA line Split air conditioner 5.1kW R32 Gloss

Technical drawing


Light distribution

Additional product photos


Logistics data



Single packaging



Bulk packaging



Europallet

AURA line Split air conditioner 5.1kW R32 Gloss

Example application