

LED line PRIME

Code: 218697

EAN: 5905378218697

Controller VARIANTE RF SPI DIGITAL
4in1 (mono/CCT/RGB/RGBW) PRIME



The VARIANTE RF SPI DIGITAL 4in1 (mono/CCT/RGB/RGBW) controller is a modern tool for advanced control of LED strips, offering intuitive operation both directly and using a remote control. Its stable construction is based on an efficient ICP943 circuit, ensuring reliable operation. This model features four output channels and a working frequency of 2.4 GHz, allowing for effective lighting management.



Technical data

Parameter	Value
Warranty	5
Voltage	• 12-24 V DC
IP protection rating	IP20
RF frequency	2.4 GHz
RF distance	≤20
Remote included	No
Output types	SPI DIGITAL

Parameter	Value
Ambient temperature suitable for operation	-20÷60
Length	163 mm
Width	46 mm
Height	25 mm
Weight	0,1 kg
Output voltage	• 12-24 V

LED line PRIME

Code: 218697

EAN: 5905378218697




Controller VARIANTE RF SPI DIGITAL
4in1 (mono/CCT/RGB/RGBW) PRIME

Technical drawing

Light distribution

Additional product photos

Logistics data



Single packaging

Quantity	1
Width	163 mm
Height	25 mm
Length	46 mm
Weight	0,13 kg
Comments	

Bulk packaging

Quantity	50
Width	310 mm
Height	210 mm
Length	270 mm
Volume	0,017 m3
Weight	5,85 kg
Comments	

Europallet

Height	1890 mm
Quantity in layer	400 szt.
Number of layers	9
Bulk quantity	3600 szt.
Weight	446,2

LED line PRIME

Code: 218697

EAN: 5905378218697

Controller VARIANTE RF SPI DIGITAL
4in1 (mono/CCT/RGB/RGBW) PRIME

Example application